



SAFETY DATA SHEET

SODIUM HYDROXIDE 8N

Product Trade Name:

Revision Date: 20-Jul-2018

Revision Number: 17

1. Identification

1.1. Product Identifier

Product Trade Name: SODIUM HYDROXIDE 8N
Synonyms None
Chemical Family: Hydroxide
Internal ID Code HM003968

1.2 Recommended use and restrictions on use

Application: Reagent
Uses advised against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier

Fann Instrument Company
A Halliburton Energy Services, Inc. Company
P.O. Box 4350
Houston, TX 77210
Telephone: (281) 871-4482

Halliburton Group Canada
645 - 7th Ave SW Suite 1800
Calgary, AB, T2P 4G8, Canada
Telephone: 1-403-231-9300

Prepared By

Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number:

Emergency Telephone Number 1-866-519-4752 or 1-760-476-3962 (accessible 24 hours a day / 7 days a week)
Global Incident Response Access Code: 334305
Contract Number: 14012

2. Hazards Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

Skin Corrosion / Irritation	Category 1 - H314
Serious Eye Damage/Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Substances/mixtures corrosive to metal	Category 1 - H290

2.2. Label Elements

Hazard Pictograms



Signal Word:	Danger
Hazard Statements	H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H335 - May cause respiratory irritation
Precautionary Statements	
Prevention	P234 - Keep only in original packaging. P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/eye protection/face protection
Response	P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P363 - Wash contaminated clothing before reuse P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P310 - Immediately call a POISON CENTER or doctor/physician P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P390 - Absorb spillage to prevent material damage
Storage	P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up
Disposal	P406 - Store in corrosive resistant container with a resistant inner liner. P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Sodium hydroxide	1310-73-2	10 - 30%	Skin Corr. 1A (H314) Eye Corr. 1 (H318) STOT SE 3 (H335) Met. Corr. 1 (H290)

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First Aid Measures

4.1. Description of first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes	Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt medical attention.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 30 minutes and remove contaminated clothing, shoes and leather goods immediately. Get medical attention immediately. Remove contaminated clothing and launder before reuse. Destroy or properly dispose of contaminated shoes.
Ingestion	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2 Specific hazards arising from the substance or mixture

Special exposure hazards in a fire

May form explosive mixtures with strong acids. Reaction with steel and certain other metals generates flammable hydrogen gas.

5.3 Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store in a manner to prevent commingling with incompatible materials. Store in a cool well ventilated area. Keep container closed when not in use.

8. Exposure Controls/Personal Protection**8.1 Occupational Exposure Limits**

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Sodium hydroxide	1310-73-2	TWA: 2 mg/m ³	Ceiling: 2 mg/m ³

8.2 Appropriate engineering controls

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection

Impervious rubber gloves.

Skin Protection

Full protective chemical resistant clothing.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

Physical State: Liquid

Color Clear colorless

Odor: Odorless

Odor No information available

Threshold:

Property

Values

Remarks/ - Method

pH:

14

Freezing Point / Range

12 °C / 54 °F

Melting Point / Range

No data available °C

Pour Point / Range

No data available

Boiling Point / Range

145 °C / 293 °F

Flash Point

No data available

Flammability (solid, gas)

No data available

Upper flammability limit

No data available

Lower flammability limit

No data available

Evaporation rate

No data available

Vapor Pressure

13 mmHg

Vapor Density

No data available

Specific Gravity

1.1

Water Solubility

Soluble in water

Solubility in other solvents

No data available

Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

Molecular Weight	40
VOC Content (%)	No data available

10. Stability and Reactivity**10.1. Reactivity**

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong acids. Peroxides. Halogenated compounds. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

10.6. Hazardous decomposition products

None known.

11. Toxicological Information**11.1 Information on likely routes of exposure**

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics**Acute Toxicity**

Inhalation	Causes severe respiratory burns.
Eye Contact	Causes severe eye burns.
Skin Contact	Causes severe burns.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

11.3 Toxicity data**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	1310-73-2	140 - 340 mg/kg (Rat)	1350 mg/kg (Rabbit)	No data available

Substances	CAS Number	Skin corrosion/irritation
Sodium hydroxide	1310-73-2	Causes severe burns

Substances	CAS Number	Serious eye damage/irritation
------------	------------	-------------------------------

Sodium hydroxide	1310-73-2	Causes severe eye burns (Rabbit)
Substances	CAS Number	Skin Sensitization
Sodium hydroxide	1310-73-2	Did not cause sensitization on laboratory animals (guinea pig)
Substances	CAS Number	Respiratory Sensitization
Sodium hydroxide	1310-73-2	No information available
Substances	CAS Number	Mutagenic Effects
Sodium hydroxide	1310-73-2	Did not show mutagenic effects in animal experiments In vitro tests did not show mutagenic effects.
Substances	CAS Number	Carcinogenic Effects
Sodium hydroxide	1310-73-2	No data of sufficient quality are available.
Substances	CAS Number	Reproductive toxicity
Sodium hydroxide	1310-73-2	No information available
Substances	CAS Number	STOT - single exposure
Sodium hydroxide	1310-73-2	May cause respiratory irritation.
Substances	CAS Number	STOT - repeated exposure
Sodium hydroxide	1310-73-2	No significant toxicity observed in animal studies at concentration requiring classification. Not applicable due to corrosivity of the substance.
Substances	CAS Number	Aspiration hazard
Sodium hydroxide	1310-73-2	Not applicable

12. Ecological Information

12.1. Toxicity

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium hydroxide	1310-73-2	No information available	LC50(48h) 189 mg/L (Leuciscus idus melanotus) LLC50(48h) 189 mg/L (Leuciscus melanotus) LC50(24h) 145 mg/L (Poecilia reticulata) LC50(96h) 125 mg/L (Gambusia affinis) LOEL(150 d) = 25 mg/L (Lebistes reticulatus)	No information available	EC50 (48h) 40.4 mg/L (Ceriodaphnia sp.)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium hydroxide	1310-73-2	The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Sodium hydroxide	1310-73-2	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium hydroxide	1310-73-2	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal methods Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number UN1824
UN proper shipping name: Sodium Hydroxide Solution
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable
NAERG: NAERG 154

Canadian TDG

UN Number UN1824
UN proper shipping name: Sodium Hydroxide Solution
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable

IMDG/IMO

UN Number UN1824
UN proper shipping name: Sodium Hydroxide Solution
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable
EMS: EmS F-A, S-B

IATA/ICAO

UN Number UN1824
UN proper shipping name: Sodium Hydroxide Solution
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2
Sodium hydroxide	1310-73-2	Not applicable

EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous
------------	------------	--

		Substances
Sodium hydroxide	1310-73-2	Not applicable

EPA SARA (311,312) Hazard Class

Corrosive to metal
 Skin Corrosion or Irritation
 Serious eye damage or eye irritation
 Specific target organ toxicity (single or repeated exposure)

EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Sodium hydroxide	1310-73-2	Not applicable	Not applicable

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Sodium hydroxide	1310-73-2	1000 lb 454 kg

EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Corrosivity D002

California Proposition 65

Substances	CAS Number	California Proposition 65
Sodium hydroxide	1310-73-2	Not applicable

U.S. State Right-to-Know Regulations

Substances	CAS Number	MA Right-to-Know Law	NJ Right-to-Know Law	PA Right-to-Know Law
Sodium hydroxide	1310-73-2	Present	Present	Environmental hazard

NFPA Ratings: Health 3, Flammability 0, Reactivity 1

HMIS Ratings: Health 3, Flammability 0, Reactivity 1

Canadian Regulations

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

16. Other information**Preparation Information**

Prepared By Chemical Stewardship
 Telephone: 1-281-871-6107
 e-mail: fdunexchem@halliburton.com

Revision Date: 20-Jul-2018

Reason for Revision SDS sections updated:
15

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight
CAS – Chemical Abstracts Service
d - day
EC50 – Effective Concentration 50%
ErC50 – Effective Concentration growth rate 50%
h - hour
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
w/w - weight/weight

Key literature references and sources for data

www.ChemADVISOR.com/
OSHA
ECHA C&L

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet