



SAFETY DATA SHEET

Product Trade Name: METHYL ORANGE INDICATOR SOLUTION AF GRADE

Revision Date: 21-Nov-2021

Revision Number: 16

1. Identification

1.1. Product Identifier

Product Trade Name: METHYL ORANGE INDICATOR SOLUTION AF GRADE
Synonyms None
Chemical Family: Not applicable
Internal ID Code HM004016

1.2 Recommended use and restrictions on use

Application: Reagent
Uses advised against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier

Fann Instrument Company
A Halliburton Energy Services, Inc. Company
P.O. Box 4350
Houston, TX 77210
Telephone: (281) 871-4482

Halliburton Group Canada
645 - 7th Ave SW Suite 1800
Calgary, AB, T2P 4G8, Canada
Telephone: 1-403-231-9300

Prepared By Chemical Stewardship
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number:

Emergency Telephone Number 1-866-519-4752 or 1-760-476-3962 (accessible 24 hours a day / 7 days a week)
Global Incident Response Access Code: 334305
Contract Number: 14012

2. Hazards Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

Acute Oral Toxicity	Category 4 - H302
Specific Target Organ Toxicity - (Single Exposure)	Category 1 - H370
Flammable liquids.	Category 3 - H226

2.2. Label Elements

Hazard Pictograms



Signal Word:	Danger
Hazard Statements	H226 - Flammable liquid and vapor H302 - Harmful if swallowed H370 - Causes damage to organs
Precautionary Statements	
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting/equipment P242 - Use only non-sparking tools P243 - Take action to prevent static discharges. P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response	P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P330 - Rinse mouth P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P370 + P378 - In case of fire: Use CO ₂ , dry chemical, or foam P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician
Storage	P403 + P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Methanol	67-56-1	10 - 30%	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)
Methyl orange			

	Proprietary	0.1 - 1%	Acute Tox. 3 (H301)
--	-------------	----------	---------------------

The specific chemical identity of the composition has been withheld as proprietary. The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First Aid Measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Following ingestion, onset of symptoms may be delayed by 12 to 24 hours. Admission to hospital should be the first priority even if symptoms are absent. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Harmful if swallowed. May cause damage to internal organs.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Gastric lavage or emesis should be performed as soon as possible to minimize absorption, and is recommended within 4 hours of ingestion. Ethanol may be given intravenously to prevent build-up of toxic effects of methanol metabolites. Visual disturbances and metabolic acidosis may occur and dialysis, preferably hemodialysis may be employed to treat these complications.
---------------------------	--

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

5.2 Specific hazards arising from the substance or mixture

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases.

5.3 Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use appropriate protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Remove sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. See Section 8 for additional information.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Remove ignition sources and work with non-sparking tools.

7. Handling and storage**7.1. Precautions for safe handling****Handling Precautions**

Do not breathe dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. Use appropriate protective equipment. Remove sources of ignition. Ground and bond containers when transferring from one container to another.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities**Storage Information**

Store in a cool well ventilated area. Keep from heat, sparks, and open flames.

8. Exposure Controls/Personal Protection**8.1 Occupational Exposure Limits**

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Methanol	67-56-1	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm STEL: 250 ppm
Methyl orange	Proprietary	Not applicable	Not applicable

8.2 Appropriate engineering controls**Engineering Controls**

Ensure adequate ventilation, especially in confined areas

8.3 Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Positive pressure self-contained breathing apparatus. Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 8 mm thickness)

Hand Protection

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types. Neoprene gloves. Rubber apron.

Skin Protection**Eye Protection**

Chemical goggles; also wear a face shield if splashing hazard exists. (EN-166)

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid
Odor: Alcohol

Color: Orange
Odor: No information available
Threshold:

<u>Property</u>	<u>Values</u>
Remarks/ - Method	
pH:	No data available
Freezing Point / Range	No data available
Melting Point / Range	No data available
Pour Point / Range	No data available
Boiling Point / Range	No data available
Flash Point	32 °C / 90 °F (PMCC)
Flammability (solid, gas)	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	0.99
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available
Liquid Density 8.25 lbs/gal

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Oxides of nitrogen. Oxides of sulfur. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on likely routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Acute Toxicity

Inhalation

May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

May cause mild eye irritation.

Skin Contact

May cause mild skin irritation.

Ingestion

Ingestion of this product may cause blindness due to the presence of methanol. Harmful if swallowed.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause eye, blood, lung, liver, kidney, heart, central nervous system and spleen damage.

11.3 Toxicity data

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methanol	67-56-1	300 mg/kg-bw (human) < 790 to 13,000 mg/kg (rat)	1000 mg/kg-bw (human) 17,100 mg/kg (rabbit)	10 mg/L (human, vapor, 4h)
Methyl orange	Proprietary	60 mg/kg (Rat)	No data available	No data available

Substances	CAS Number	Skin corrosion/irritation
Methanol	67-56-1	Non-irritating to the skin (Rabbit)
Methyl orange		No information available

Substances	CAS Number	Serious eye damage/irritation
Methanol	67-56-1	Non-irritating to the eye (Rabbit)
Methyl orange		No information available

Substances	CAS Number	Skin Sensitization
Methanol	67-56-1	Did not cause sensitization on laboratory animals (guinea pig)
Methyl orange		No data of sufficient quality are available.

Substances	CAS Number	Respiratory Sensitization
Methanol	67-56-1	No information available
Methyl orange		No information available

Substances	CAS Number	Mutagenic Effects
Methanol	67-56-1	The weight of evidence from available in vitro and in vivo studies indicates that this substance is not expected to be mutagenic.
Methyl orange		No data of sufficient quality are available.

Substances	CAS Number	Carcinogenic Effects
Methanol	67-56-1	No data of sufficient quality are available.
Methyl orange		No data of sufficient quality are available.

Substances	CAS Number	Reproductive toxicity
Methanol	67-56-1	Based on available data, the classification criteria are not met. Experiments have shown reproductive toxicity effects on laboratory animals
Methyl orange		No information available

Substances	CAS Number	STOT - single exposure
Methanol	67-56-1	May cause disorder and damage to the Central Nervous System (CNS)
Methyl orange		No information available

Substances	CAS Number	STOT - repeated exposure
Methanol	67-56-1	Causes damage to organs through prolonged or repeated exposure: Central Nervous System (CNS)
Methyl orange		No information available

Substances	CAS Number	Aspiration hazard
Methanol	67-56-1	Not applicable
Methyl orange		Not applicable

12. Ecological Information

12.1. Toxicity

Ecotoxicity effects

Product is not classified as hazardous to the environment.

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Methanol	67-56-1	EC50 (96 h) =22000 mg/L (Pseudokirchnerella subcapitata) NOEC (8 d) =8000 mg/L (Scenedesmus quadricauda)	LC50(96 h)=15400 mg/L (Lepomis macrochirus) EC50 (200h)=14536 mg/L (Oryzias latipes)	No information available	NOEC(21 d)=208 mg/L (Daphnia magna) EC50 (48h)=22200 mg/L (Daphnia obtuse)
Methyl orange	Proprietary	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Methanol	67-56-1	Readily biodegradable (95% @ 20d)
Methyl orange	Proprietary	No information available

12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Methanol	67-56-1	Not Bioaccumulative; BCF=1
Methyl orange	Proprietary	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Methanol	67-56-1	No information available
Methyl orange	Proprietary	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal methods Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number UN1993
UN proper shipping name: Flammable Liquid, N.O.S. (Contains Methanol)

Transport Hazard Class(es): 3
Packing Group: III
Environmental Hazards: Not applicable
NAERG: NAERG 128

Canadian TDG

UN Number: UN1993
UN proper shipping name: Flammable Liquid, N.O.S. (Contains Methanol)
Transport Hazard Class(es): 3
Packing Group: III
Environmental Hazards: Not applicable

IMDG/IMO

UN Number: UN1993
UN proper shipping name: Flammable Liquid, N.O.S. (Contains Methanol)
Transport Hazard Class(es): 3
Packing Group: III
Environmental Hazards: Not applicable
EMS: EmS F-E, S-E

IATA/ICAO

UN Number: UN1993
UN proper shipping name: Flammable Liquid, N.O.S. (Contains Methanol)
Transport Hazard Class(es): 3
Packing Group: III
Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2	TSCA Section 5(E) Consent Orders
Methanol	67-56-1	Not applicable	Not applicable
Methyl orange	Proprietary	Not applicable	Not applicable

EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Methanol	67-56-1	Not applicable
Methyl orange	Proprietary	Not applicable

EPA SARA (311,312) Hazard Class

Flammable (gases, aerosols, liquids, or solids)
 Acute toxicity (any route of exposure)
 Specific target organ toxicity (single or repeated exposure)

EPA SARA (313) Chemicals:

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Methanol	67-56-1	1.0%	Not applicable
Methyl orange	Proprietary	Not applicable	Not applicable

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Methanol	67-56-1	5000 lb 2270 kg
Methyl orange	Proprietary	Not applicable

EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Ignitability D001

California Proposition 65

Substances	CAS Number	California Proposition 65
Methanol	67-56-1	developmental toxicity
Methyl orange	Proprietary	Not applicable

U.S. State Right-to-Know Regulations

Substances	CAS Number	MA Right-to-Know Law	NJ Right-to-Know Law	PA Right-to-Know Law
Methanol	67-56-1	Present	Present	Environmental hazard
Methyl orange	Proprietary	Not applicable	Not applicable	Not applicable

Canadian Regulations

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

16. Other information**Preparation Information**

Prepared By Chemical Stewardship
e-mail: fdunexchem@halliburton.com

Revision Date: 21-Nov-2021

Reason for Revision Update to Format

Additional information:

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

NFPA Ratings: Health 2, Flammability 3, Reactivity 0

HMIS Ratings: Health 2, Flammability 3, Reactivity 0

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight

CAS – Chemical Abstracts Service

d - day

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

h - hour

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram
mg/L – milligram/liter
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
w/w - weight/weight

Key literature references and sources for data

www.ChemADVISOR.com/
OSHA
ECHA C&L

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet